

CONTENTS

ORIGINAL ARTICLE

- 63 Study Design and Rationale for the Prasugrel Reduced-dose Observation for Measuring Improvement in Safety and Effectiveness in Taiwan (PROMISE-TW) Registry
Yu-Chen Wang
- 73 Real-World Application of Two-Millimeter Drug Eluting Stents: A Single-center Experience
Chih-Hung Lai, Chi-Yao Huang, Tse-Min Lu, Chieh-Shou Su, Wei-Chun Chang, Yu-Tsung Cheng, Kae-Woei Liang, Tsun-Jui Liu, Wei-Wen Lin, Chi-Yen Wang, Yu-Wei Chen, Szu-Ling Chang, Wen-Lieng Lee

REVIEW ARTICLE

- 86 Application of Intracardiac Echocardiography in Left Atrial Appendage Closure
Ke-Wei Chen, Ju-Hsin Chang, Yu-Chen Wang, Ping-Han Lo, Kuan-Cheng Chang
- 96 Percutaneous Transvalvular Micro-axial Flow Pump: Impella
Tsung-Yu Ko

CASE REPORT

- 103 Anchoring Balloon Retrieval as a Strategic Approach to a Partially Deployed, Deformed Stent Attached to the Coronary Intima and a Ruptured Stent Balloon During Percutaneous Coronary Intervention: A Case Report
Heng-You Sung, Chun-Wei Lee, Chun-Chieh Liu
- 109 Bi-directional Approach for Multilevel Chronic Total Occlusions in Peripheral Artery Disease: An Effective Treatment Strategy
Yi-Pan Li, Cheng-Yu Ko
- 119 A Challenging Case of Kawasaki Disease with Systemic Vasculopathy and Graft Failure Soon After CABG, Presenting with Persistent Chest Pain
Yu-Chuan Chuang, Wen-Lieng Lee
- 131 A Novel Design with a Rare Complication: DynamX™ Bioadaptor Dislodgement
Yi-Syuan Lin, Ying-Hsien Chen